

Expanding Possibilities
Making It All Make Sense

CATALOGUE

2022>>>

The marked "★★★" product is Lention Patented Product

Alaska **3** Europe 2 Canada Russia **United States** 7 Africa 8 Asia South America Australia

LENTION is a leading in consumer electronics innovation. Since our foundation in 2010, we integrate R&D, design, manufacturing, sales, and marketing, as well as customer service. LENTION has steadily grown into a brand trusted around the world.

Our best selling portable hubs, docks, charger, cable, MacBook accessories, laoptop stand. We are continually striving to create the best-possible improving your productivity and efficiency.







USB-C TO USB3.0*3+USB2.0*2+3.5mm Audio+ HDMI(4K@30Hz)+RJ45(1000M)+PD(3.0)

The USB C Dock provides USB C to 4K HDMI, Gigabit Ethernet, 3.5mm Audio, 3 USB 3.0, 2 USB 2.0 for better compatibility. The USB C Docking Station with power delivery can pass through up to 100W power(MAX) to the connect host and peripherals.





USB-C TO USB3.0*5+HDMI(4K60Hz)+RJ45(1000M)+ SD&TF Card Reader+3.5mm Audio+PD3.0

11-in-1 Expansion - The vertical docking station is powerful than USB C hub with 5 USB 3.0, 4K HDMI, Gigabit Ethernet, SD/Micro SD card reader, 100W power delivery, and 3.5mm audio port. Up to 100w pass through the charging port can provide 85w for laptops. Plug and play, no drivers or software to install.







USB-C TO USB3.0*3+USB2.0*2+3.5mm Audio+ HDMI(4K@60Hz)+RJ45t(1000M)+PD(3.0)

The docking station provides 4K@60Hz HDMI, Gigabit Ethernet, 3.5mm Audio, 3 USB 3.0, 2 USB 2.0 for better compatibility, and the Type C charging port can pass through up to 100W power to the connect host and peripherals.











USB-C TO USB 3.0*3+HDMI Port(4K@30Hz)+ VGA Port(1080P@60Hz)+SD&Micro SD Card Reader+ 3.5mm Audio +RJ45(1000M)+PD (100W)

All in One - The docking station provides 3 USB 3.0, Gigabit Ethernet, SD/Micro SD Card Reader, Power Delivery, 4K HDMI & 1080P VGA that displays duplicated screen when both in use (single-stream transport), and Aux output that works together with HDMI or VGA.







5K=Displayport(4K 60Hz)*2



USB-C/USB-A TO USB-C(Data)+ USB 3.0*6+HDMI(4K@60Hz)*2+Displayport(4K@60Hz)*2 +RJ45(1000M)+3.5mm Audio+3.5mm Mic

Up to Two Split, Extend Screens (MST+SST) – The docking station provides 6 USB 3.0, Gigabit Ethernet, HDMI + DP dual 4K output that support mirror and extend mode for Windows and Mac OS, separated microphone input and audio output. When you set up MST/SST, the setting steps are different depending on the device.

(Note: The DC 20V power adapter is necessary for use, but not provides charging to host devices)





USB-C TO USB3.0*7

USB 3.0 Multiport Hub, 7-Port Data Splitter with 3 Smart Charging, Individual On/Off Switches and 36W Power.









USB-C TO USB3.0*3+ HDMI(4K30Hz)+RJ45(1000m)+PD(3.0)

The multiple connectivity options to the USB-C devices through 3 USB 3.0 ports, USB-C Power Delivery port, 4K HDMI interface and Gigabit Ethernet port.







USB-C TO USB3.0*3+HDMI(4K@30Hz)+ VGA(1080P)+SD&TF Card Reader(3.0)+PD(3.0)

8-in-1 USB C Hub extends the USB-C port of your devices to 3 USB 3.0 ports, 1 USB-C charging port, 1 HDMI interface, 1 VGA interface, SD/Micro SD card slots with the read & write speed under UHS-I standard (Up to 104MB/s).








USB-C TO USB3.0*2+HDMI(4K@30Hz)+ SD Card Reader(2.0)+RJ45(1000M)+PD2.0(Data)

Dual USB 3.0 ports support data transfer speed up to 5Gbps, giving seamless access to wire keyboard, mouse, USB flash drive, hard disk, etc. The card slot works with SD, SDHC, SDXC and MMC cards.







USB-C TO USB3.0*3+HDMI(4K@30Hz)+ RJ45(1000M)+SD&TF Card Reader(Reader 3.0)+ USB-C(Data)+PD3.0

USB C to Ethernet, 4K HDMI, SD/Micro SD card, 100W USB C power delivery, 3 USB 3.0 ports, and USB C data port. SD/Micro SD card slots can read & write simultaneously under UHS-I standard (Up to 104MB/s). Also with Ethernet enables 10/100/1000 Mbps wired Gigabit Ethernet access.













RJ45(1000m)+PD(3.0)

USB C Hub features one full functional USB C Port (40Gbps Data+100W Power Delivery), one 5Gbps USB C Data Port and 4K HDMI, Gigabit Ethernet, 2 USB 3.0 Ports. (Note: Doesn't fit if there is a case on your Mac. Not for Superdrive)



USB-C TO USB3.0*3+SD/TF Card Reader(2.0)+ USB-C(Data)+Thunderbolt 3

6 in 1 USB C hub features one full functional USB C Port (100W), a 5Gbps USB C data port, 3 USB 3.0 ports, SD/Micro SD card reader. (Note: Not suitable if you have a case on your Mac)





USB-C TO USB3.0*2+HDMI(4K@30Hz)+ SD&TF Card Reader(3.0)+USB-C(Data)+Thunderbolt 3

7 in 1 USB C hub features one full functional USB C Port (40Gbps/100W), a 5Gbps USB C data port, and 4K HDMI, 2 USB 3.0 ports, SD/Micro SD card reader. (Note: Not suitable if you have a case on your Mac)





USB-C TO HDMI*2(HDMI2.0/HDMI1.4)+USB3.0*2+ USB-C(Data)+Thunderbolt 3

Support multiple displays for New MacBook Air/Pro ,With 2 HDMI outputs, one supports 4K@60Hz, another supports 4K@30Hz. When connect to 2 external screens it supports MST (Multiple Stream Transport).



◆(CE17) ★★★

USB-C TO USB3.0+USB2.0*2+ HDMI(4K@30Hz)+PD

USB C Hub with 4K HDMI, USB 3.0, 2 USB 2.0 and Charging Adapter.









USB-C TO USB3.0*2+USB2.0+PD3.0(60W)+ Adjustable RJ45(1000M)+SD&TF Card Reader+ HDMI(4K@30Hz)

8-In-1 Massive Expansion with Ultra Small Body - LENTION USB C Hub extends one of the USB-C ports into 8 useful ports including 2*USB 3.0 ports,

1*USB 2.0 port, HDMI video port, SD & Micro SD card reader slots, Gigabit Ethernet port, and a Type-C Power Delivery port, into a small aluminum case.







USB-C TO USB3.0+USB2.0*2+ HDMI(4K@30Hz)+SD/TF Card Reader+PD

USB C Hub with 4K HDMI, USB 3.0, 2 USB 2.0 and SD/TF Card Reader and Charging Adapter.













USB-C TO HDMI(4K@30Hz)+ VGA(1080P@60Hz)

USB-C to HDMI&VGA Adapter, Up to 4K/30Hz Digital AV HDMI Output.





USB-C TO HDMI+DP(MST)

USB C to HDMI & DisplayPort Adapter, Supports Up to Dual 4K/30Hz Monitors.









USB-C TO USB3.0*4+PD(3.0)

USB C to USB adapter, access to 4 USB accessories at the same time, plug and play, used with no external drivers or power required. The type-c charging port can pass through up to 60w power.



USB-C tO USB3.0*3+HDMI(4K@30Hz)+ SD&TF Card Reader(3.0)

Turning a USB C port superspeed into to 3 USB 3.0 ports; Dual SD/Micro SD cards read and write simultaneously at the speed of up to SD 3.0 speed. And deliver high-quality video at a resolution of up to 4K(3840x2160)@30Hz. Backward compatible with 2560x1600 and lower resolutions at 60Hz.











USB-C TO USB3.0*3+USB2.0+ HDMI(4K@30Hz)+ SD&TF Card Reader(3.0)+PD(3.0)

3 USB 3.0 + 1 USB 2.0 for better compatibility, help to access to four USB accessories at the same time, with data transfer speed up to 5Gbps; Support dual cards read and write at the same time, providing speed up to UHS-I (95MB/s); The type-c charging port can pass through up to 60w power.











USB-C TO USB3.0*3+HDMI(4K@30Hz)+ SD&TF Card Reader(3.0)+PD(3.0)

3 USB 3.0 for better compatibility, help to access to four USB accessories at the same time, with data transfer speed up to 5Gbps; Support dual cards read and write at the same time, providing speed up to UHS-I (95MB/s); The type-c charging port can pass through up to 60w power.







USB-C TO USB3.0*2+SD&TF Card Reader(3.0)+ PD(3.0)+USB-C(Data)+HDMI(4K@30Hz)

3.3FT Long Cable USB C Hub with 4K HDMI, 2 USB 3.0, Card Reader, Aux, Type C Data/Charging Adapter.













USB-C TO SD&TF&CF Card Reader(3.0)

This multi-card reader brings high-performance syncing and high capacity into a perfect balance, enabling up to SD 3.0 (95MB/s) of data transfer. Transferring files in seconds maximizes the performance of your cards while saving your time on heavy-duty work. Support up to 256G memory cards.





USB-C TO USB3.0+USB2.0*2+PD2.0(Data)

4-IN-1 USB HUB: Contains one Type-C, one USB 3.0 and two USB 2.0 ports, connected with an output Type-C port, providing high data transfer speed up to 5 Gbps; lightweight and appropriate size.





USB-C TO USB3.0*3+PD3.0

4-IN-1 USB HUB: Contains one Type-C, three USB 3.0 ports, connected with an output Type-C port, providing high data transfer speed up to 5 Gbps; lightweight and appropriate size.



USB-C TO USB3.0*3+SD/TF Card Reader(3.0)

SD 3.0 Card Readers, providing speed up to UHS-I (104MB/s), much faster than most card readers in the market. Three USB 3.0 ports with data transfer speed up to 5 Gbps.







C16s ▶

USB-C TO USB3.0*3+SD&TF Card Reader(3.0)+PD(60W)

The SD 3.0 Card Readers support two cards reading and writing at the same time with speed up to UHS-I (104MB/s), much faster than most card readers in the market.

The three USB 3.0 ports support data transfer speed up to 5 Gbps.









USB-C TO USB3.0*1+USB2.0*2+ SD/TF Card Reader(2.0)+HDMI(4K@30Hz)+PD(2.0)

One USB 3.0 and two USB 2.0 ports have the best compatibility to all devices, with transfer speed up to 5Gbps.

SD / Micro SD dual card slots provide up to SD 2.0 transfer speed (One card at a time).



USB-C to USB3.0*3+HDMI(4K@30Hz)+ SD&TF Card Reader(3.0)

The SD & Micro SD dual SD 3.0 card reader support read and write at the same time, with data transfer speed up to UHS-I (104MB/s) - much faster than most card readers in the market. Three USB 3.0 ports with speed up to 5 Gbps.











- USB-C TO USB3.0*2+USB2.0*3+
 - HDMI(4K@30Hz)+
- SD&TF/SD&SD Card Reader(3.0)+ USB-C(Data)+PD

Featuring with 2 x USB 3.0 ports (5Gbps data synchronization speed),

3 x USB 2.0 ports (480Mbps data synchronization speed), 2 x SD card slots, 1 x Micro SD card slot, 1 x 4K HDMI, 1 x USB-C data port and 1 x charging port.



C45 ►

USB-C TO HDMI*2(MacOS HDMI1.4, WinOS 1080P@60Hz MST) +USB 3.0*4+PD(3.0)

Dual HDMI output. When 2 HDMI ports output simultaneously, both ports support up to 1080P@60Hz. When only 1 port output, it supports up to 4K@30Hz, downward compatible with 2K/1080P/720P at 60Hz.







USB-C TO HDMI*2 MST

MST&SST for Windows, Only SST for Mac - Support most WindowsOS devices to display two split screens (ABC/MST), or one mirroring screen (ABB/SST) at Extend Mode.

MST Mode: DP1.2 DP1.4 4k30Hz 4k60Hz

SST Mode: 4k60Hz



USB-C TO M.2 SSD

USB-C to M.2 NVMe Enclosure, up to USB 3.1 Gen 2 Speeds (10Gbps) Hard Drive Adapter, Includes Both USB-C Cable, Supports M.2 NVMe SSDs 2280 2260 2242 2230.









USB-C TO M.2 SSD

USB C to M.2 SSD Enclosure supports NvMe and NGFF dual protocols.

Connect the case to the USBC port/Thunderbolt 3 to transfer large files and movies, with a data transfer speed of up to 1GB/S.





HDMI TO USB-A3.0+HDMI 2.0+3.5mm Mic In+ 3.5mm Audio Out

4k High Frame Rate Pass-through - Streaming from resolution up to 1980×1080P@60Hz input, supporting max 1080P@60Hz loop output. The HDMI OUT loop-out port synchronously outputs the recordings received by the microphone, realizing the real-time monitoring function.





: LENTION

THE WILL



★★★C7 ▼

USB-C TO SD&TF Card Reader(3.0)

USB C to SD/Micro SD Card Reader, Type C SD 3.0 Card Adapter; Work with almost all types of memory cards including SD/SDHC/SDXC/MicroSD/ MicroSDHC/MicroSDXC, backward compatible with more UHS-I memory cards.









USB-A TO SD&TF Card Reader(3.0)

Aluminum USB 3.0 Card Reader, SD 3.0 Adapter for SD/SDXC/SDHC, Micro SD/Micro SDXC/Micro SDHC, UHS-I, MMC/RS-MMC Cards.





USB-C TO SD&TF Card Reader(3.0)

SD card slot and a Micro SD (TF) card slot, this USBC multi card reader offers up to UHS-I (95MB/s) high-speed syncing.





USB-C TO CFexpress Type-B

USB-C to CF Card Reader, SD 3.0 Card Adapter







USB-C TO USB(3.0)

1 pack/2packs/3packs

Support USB 3.0, up to 5Gbps data transfer speed and maximum 1.5Amp pass-through current, stabilize high-capacity hard disk (support up to 4T hard disk connect and data transfer).



USB-C TO USB(3.0)

1 pack/2packs

Extend your USB-C laptop/phone/tablet to the widely used USB-A peripherals, providing data transfer speed up to 5 Gbp/s.

1 pack/2packs






USB(3.0) TO USB-C

1 pack/2packs

This adapter offers data transfer speeds of up to 5Gbps between the connected devices, easily hooks up your Type C peripherals such as Type C cables, Type C flash drives, and Type C hubs.



USB 3.0 port to your USB-C equipped device to connect a keyboard, mouse, flash drive and more USB-A peripherals, this driver-free adapter gives you the highest data transfer rate of 5Gbps, plug and play.










USB C to VGA - Max resolution output is 1920x1080@60Hz, downward compatible with 1080i, 720p, 576p, 480i / 480p. (Note: VGA only supports video output).



USB-C TO HDMI(4K@60Hz)

Max resolution output is 4K (4096x2160)@60Hz, delivering ultra-high definition videos and images to the connected display, up to 60Hz refresh rates, without blur, distortion and delay.





USB-C TO Mini DisplayPort(4K@60Hz)

Max resolution output is 4K (4096x2160)@60Hz, delivering ultra-high definition videos and images to the connected display, up to 60Hz refresh rates, without blur, distortion and delay. And, downwards compatible with 1080P, 720P, 480P.







USB-A 3.0 TO RJ45(10/100/1000M)

USB 3.0 male A to RJ45 female adapter supporting 10/100/1000 bit ethernet. Adopts USB 3.0 standard. Backward compatible with 2.0/1.1 standards.





Minidp to VDH ▶

MiNi DisplyPort TO VGA/DVI/HDMI

Connects a Mini DisplayPort (Mini DP or mDP)/Thunderbolt 2 port PC, laptop or computer to an HDTV, monitor, display or projector with HDMI/DVI/VGA interface.











Mixed Knitting M1 HDMI 2.1 8K60Hz Digital HD Cable

The HDMI 2.1 support video streaming with a resolution up to 8K at 60Hz, downward compatible with 4K at 120Hz,60Hz, 1080p and more.

Cable Length







4K High-Speed HDMI to HDMI Cable

HDMI male to male cable supports the latest HDMI standard, 4K video at 60 Hz UHD, 3D, 2160P, 1080P and backward compatible with earlier versions. It also provides you mirror and extend mode for connecting a larger display.

Cable Length









Active 1080P HDMI to VGA Video Cable

HDMI TO VGA Cable, transport video from HDMI compatible device (Laptop, PC, DVD) to a monitor or projector with VGA port to enjoy HD video in large screen without extra HDMI or VGA cable needed.





Mixed Knitting M1 HDMI 2.1 8K60Hz Digital HD Cable

The HDMI 2.1 support video streaming with a resolution up to 8K at 60Hz, downward compatible with 4K at 120Hz,60Hz, 1080p and more.

Cable Length
















CLN







USB-A TO UBC-C (0.5M/1M/2M)

USB-A TO UBC-C (0.5M/1M/2M)









Aluminum Laptop Stand

Material: Aluminum Alloy Compatible for: All laptop within 11-16 inches Features: Single Hand Operation





Vertical Aluminum Laptop Stand

Material: Aluminum Alloy Compatible for: Most laptops with thickness varying from 0.36 inch to 1.2 inches

Features: Optimize Desktop Space









SW618

18W USB-C PD Charger

Support: PD3.0, QC2.0/QC3.0, MTK PE1.1, FCP/SCP,AFC,BC1.2, APPLE, SAMSUNG



30w PST-30C

30W Fast GaN tech Durable Wall Charger


Support: APPLE, SAMSUNG, HUAWEI, QC3.0, QC2.0, PD2.0, PD3.0, BC1.2, PPS

For All MacBook Version

■ Water-Resistant Fabric Sleeve Compatible for: MacBook 13 / 14 /15 / 16 inches (Zipper) ▼ Water-Resistant Fabric Sleeve Compatible for: MacBook 13 / 14 /15 / 16 inches

Water-Resistant Fabric Sleeve ▲

Compatible for : MacBook 13 / 14 /15 / 16 inches







Screen Protector

Compatible for: MacBook Air 13 / Pro 13 with or without Multi-Touch Bar /New 14 inches / Pro 15 with Multi-Touch Bar / New 16 inches Material: PET

Package Include: Guide Paper Cleaning Cloth / Assistant Stickers Tool / Dust Stickers



Palmrest & Trackpad Protector

Compatible for: MacBook Air 13 / Pro 13 with or without Multi-Touch Bar / New 14 inches / Pro 15 with Multi-Touch Bar / New 16 inches Material: 3M

Package Include: PalmGuard, Trackpad



5 in 1 Full Protective Film

Compatible for: MacBook Air 13 / Pro 13 with or without Multi-Touch Bar /New 14 inches / Pro 15 with Multi-Touch Bar / New 16 inches Material: 3M

Include: Cover Sticker, Bottom Sticker, Palm Guard, Trackpad, Screen Protector



Keyboard Cover

Compatible for : MacBook Air 13 / Pro 13 with or without Multi-Touch Bar / New 14 inches / Pro 15 with Multi-Touch Bar / New 16 inches

Material: TPU, Silicone





EVA Storage Case A

Size: 16×10.2×5.6cm



EVA Storage Case A

Size: 21.06x9.81x5.18cm



Fabric Storage Bag

Size : 23×10×11.6cm Material : Cationic Fabric









Split Leather Storage Bag

Size: 17×5×12cm Material: Split Leather









Guangzhou HuiSheng Electronic Technology Co., Ltd

20/F, Block A, POLYSTAR Plaza, No.1 LongKou West Road, TianHe District, GuangZhou, China

Tel: (+86) 20 8559 0023 Post Code: 510630

Web. www.lention.net

eShop. www.lention.com